Brain Research, 78 (1996) 247–248
© 1996 Elsevier Science B.V.

Author Index

Amano, M., see Hasegawa, M., 93

Baker, G.B., see Vanderwolf, C.H., 225
Bauer, J.
Disturbed synaptic plasticity and the psychobiology of Alzheimer's disease, 1
Bauer, J., see Hüll, M., 37
Bennett, E.L., see Rosenzweig, M.R., 57
Berger, M., see Hüll, M., 37
Bickford, P., see Heron, C., 235
Bonadonna, F., see Gagliardo, A., 155
Boye, S.M. and Rompré, P.-P.
Effect of pimozide on self-stimulation thresholds under a continuous and fixed-interval schedule of reinforcement, 243
Buhot, M.-C., see Granon, S., 147
Bures, J., see Moghaddam, M., 121

Calamandrei, G., Ricceri, L. and Valanzano, A.
Systemic administration of anti-NGF antibodies to neonatal mice impairs 24-h retention of an inhibitory avoidance task while increasing ChAT immunoreactivity in the medial septum, 81
Cook, I.A. and Leuchter, A.F.
Synaptic dysfunction in Alzheimer's disease: clinical assessment using quantitative EEG, 15
Corbett, R., see Wan, R.-Q., 211

Dean, P., see King, S.M., 131
Deckel, A.W.
Behavioral changes in *Anolis carolinensis* following injection with fluoxetine, 175
De La Cruz Lopez, F. and Santamaria, T.U.
The differential haloperidol effect on the immobility response elicited by clamping, grasping, bandaging and inversion in guinea pig, hamster and rat, 195
Divac, I., see Gagliardo, A., 155

Gagliardo, A., Bonadonna, F. and Divac, I.
Behavioural effects of ablations of the presumed 'prefrontal cortex' or the corticoid in pigeons, 155
Giovanni, A., see Wan, R.-Q., 211
Gould, T.J., see Heron, C., 235
Granon, S., Save, E., Buhot, M.-C. and Poucet, B.
Effortful information processing in a spontaneous spatial situation by rats with medial prefrontal lesions, 147
Gunzelmann, T., see Oswald, W.D., 67

Hamilton, T.C., see Wood, N.I., 113
Hampson, E., see Mead, L.A., 73
Hasegawa, M., Nakayama, S., Kinoshita, H., Amano, M., Yamada, K., Hasegawa, T. and Nabeshima, T.
Effects of the subacute administration of nefiracetam on abnormal behavior in aged rats, 93
Hasegawa, T., see Hasegawa, M., 93
Heron, C., Gould, T.J. and Bickford, P.
Acquisition of a runway motor learning task is impaired by a beta adrenergic antagonist in F344 rats, 235
Hüll, M., Strauss, S., Berger, M., Volk, B. and Bauer, J.
The participation of interleukin-6, a stress-inducible cytokine, in the pathogenesis of Alzheimer's disease, 37

Hunter, A.J., see Wood, N.I., 113

Jansen, E.M. and Low, W.C.
Long-term effects of neonatal ischemic-hypoxic brain injury on sensorimotor and locomotor tasks in rats, 189

Kafka, S.H., see Wan, R.-Q., 211
King, S.M., Shehab, S., Dean, P. and Redgrave, P.
Differential expression of fos-like immunoreactivity in the descending projections of superior colliculus after electrical stimulation in the rat, 131
Kinoshita, H., see Hasegawa, M., 93

Lassmann, H.
Patterns of synaptic and nerve cell pathology in Alzheimer's disease, 9
Leuchter, A.F., see Cook, I.A., 15
Low, W.C., see Jansen, E.M., 189

Mead, L.A. and Hampson, E.
A sex difference in turning bias in humans, 73
Mirmiran, M., van Someren, E.J.W. and Swaab, D.F.
Is brain plasticity preserved during aging and in Alzheimer's disease?, 43
Moghaddam, M. and Bures, J.
Contribution of egocentric spatial memory to place navigation of rats in the Morris water maze, 121

Nabeshima, T., see Hasegawa, M., 93
Nakayama, S., see Hasegawa, M., 93

Oswald, W.D., Rupprecht, R., Gunzelmann, T. and Tritt, K.
The SIMA-project: effects of 1 year cognitive and psychomotor training on cognitive abilities of the elderly, 67

Pambakian, P., see Wood, N.I., 113
Pellicano, M.P., see Sadile, A.G., 163
Poucet, B., see Granon, S., 147

Redgrave, P., see King, S.M., 131
Ricceri, L., see Calamandrei, G., 81
Roberts, J.C., see Wood, N.I., 113
Rompré, P.-P., see Boye, S.M., 243
Rosenzweig, M.R. and Bennett, E.L.
Psychobiology of plasticity: effects of training and experience on brain and behavior, 57
Rothaul, A.L., see Wood, N.I., 113
Rupprecht, R., see Oswald, W.D., 67

Sadile, A.G., Pellicano, M.P., Sagvolden, T. and Sergeant, J.A.
NMDA and non-NMDA sensitive [L-^{3}H]glutamate receptor binding in the brain of the Naples high- and low-excitability rats: an autoradiographic study, 163
Sagvolden, T., see Sadile, A.G., 163
Santamaria, T.U., see De La Cruz Lopez, F., 195
Save, E., see Granon, S., 147
Sergeant, J.A., see Sadile, A.G., 163

Shehab, S., see King, S.M., 131
Shoaib, M. and Stolerman, I.P.
Brain sites mediating the discriminative stimulus effects of nicotine in rats, 183
Smith, C.
Sleep states, memory processes and synaptic plasticity, 49
Smith, M.A.
Hippocampal vulnerability to stress and aging: possible role of neurotrophic factors, 25
Sopesen, B.V., see Wood, N.I., 113
Spatz, H.-C.
Hebb's concept of synaptic plasticity and neuronal cell assemblies, 3
Stolerman, I.P., see Shoaib, M., 183
Strauss, S., see Hüll, M., 37
Swaab, D.F., see Mirmiran, M., 43

Tritt, K., see Oswald, W.D., 67

Valanzano, A., see Calamandrei, G., 81
Vanderwolf, C.H. and Baker, G.B.
The role of brain noradrenaline in cortical activation and behavior: A study of lesions of the locus coeruleus, medial thalamus and hippocampus-neocortex and of muscarinic blockade in the rat, 225
van Someren, E.J.W., see Mirmiran, M., 43
Volk, B., see Hüll, M., 37

Wakita, M.
Recovery of function after neonatal ablation of the auditory cortex in rats (*Rattus norvegicus*), 201
Wan, R.-Q., Giovanni, A., Kafka, S.H. and Corbett, R.
Neonatal hippocampal lesions induced hyperresponsiveness to amphetamine: behavioral and in vivo microdialysis studies, 211
Whishaw, I.Q.
An endpoint, descriptive, and kinematic comparison of skilled reaching in mice (*Mus musculus*) with rats (*Rattus norvegicus*), 101
Wood, N.I., Sopesen, B.V., Roberts, J.C., Pambakian, P., Rothaul, A.L., Hunter, A.J. and Hamilton, T.C.
Motor dysfunction in a photothrombotic focal ischaemia model, 113

Yamada, K., see Hasegawa, M., 93